

AMENDMENTS TO THE CLAIMS

1. (Cancelled)

2. (Cancelled)

3. (Currently Amended) A portable type voice reproducer, ~~which~~ that reproduces and outputs a voice ~~voiced~~ message selected from a plurality of ~~kinds of~~ voice message ~~[[-]]~~ data ~~to be data for voiced messages~~, the portable type voice reproducer comprising:

a control signal detector receiving and detecting a control signal that originates from outside the portable type voice reproducer, the control signal being used to select one kind of voice message data, wherein a start button controls the operation of the control signal detector which is received from outside and prepared for use of selection of one kind of the voice data corresponding to each voiced message;

a an attachable and detachable voice message ~~[[-]]~~ data storage medium storing the plurality of voice message ~~[[-]]~~ data, the voice message data being in a plurality of languages organized in classes according to a language of the voice message data;

a class selector selecting a class corresponding to a particular language;

a voice message data retrieval ~~data take-out~~ circuit receiving the control signal detected by said the control signal detector, receiving the selected class from the class selector and retrieving and taking out a kind of the voice message ~~[[-]]~~ data corresponding to the received control signal from said the voice ~~[[-]]~~ message data storage medium; and

a voice reproduction circuit converting the voice message ~~[[-]]~~ data received from said the voice message ~~[[-]]~~ data take-out retrieval circuit to an audible signal of the voiced message, and reproducing the voiced message; and

a voice output device outputting the audible signal ~~voiced message reproduced by said voice reproduction circuit.~~

4. (Cancelled)

5. (Currently Amended) A portable type voice reproducer according to claim 3, wherein ~~said~~ the control signal is a radio signal of a faint power level, and ~~said~~ the control signal detector receives the radio signal from outside the portable type voice reproducer through an antenna.

6. (Currently Amended) A portable type voice reproducer according to claim 3, wherein ~~said~~ the control signal is a light signal, and ~~said~~ the control signal detector receives and detects the light signal from outside the portable type voice reproducer.

7. (Cancelled)

8. (Cancelled)


9. (Cancelled)

10. (Currently Amended) A guide system ~~[[,]]~~ which ~~that~~ guides a user ~~each~~ of through a plurality of guide objects by a voice message ~~corresponding voiced message to each of the guide objects by use of a portable type of voice reproducer, the guide system~~ comprising:

control system transmitters, each of which is respectively arranged at ~~each of said one of the~~ guide objects and transmits a control signal for discrimination of one guide object from another ~~of said corresponding guide object continuously at least during execution of the guide; and~~

~~said a portable type voice reproducer, which that reproduces and outputs a voiced~~
~~voice message selected from a plurality of kinds of voice message [[-]] data to be data for~~
~~voiced messages respectively corresponding to the guide objects, the portable type voice~~
~~reproducer comprising:~~

a control signal detector receiving and detecting the a particular control
~~signal, which is received from said a particular control signal transmitter, wherein a~~
~~start button controls the operation of the control signal detector and prepared for use~~
~~of selection of one kind of the voice data corresponding to the detected one of said~~
~~control signal transmitters;~~

 a an attachable and detachable voice message [[-]] data storage medium
~~storing the plurality of voice message [[-]] data, the voice message data being in a~~
~~plurality of languages organized in classes according to a language of the voice message~~
~~data;~~

a class selector selecting a class corresponding to a particular language;

a voice message data retrieval ~~data take out~~ circuit receiving the control
~~signal detected by said the control signal detector, receiving the selected class from the~~
~~class selector and retrieving and taking out a kind of the voice message [[-]] data~~
~~corresponding to the received control signal from said the voice [[-]] message data~~
~~storage medium;~~ and

a voice reproduction circuit converting the voice message [[-]] data received
~~from said the voice message [[-]] data take out retrieval circuit to an audible signal, of~~
~~the voiced message, and reproducing the voiced message; and~~

a voice output device outputting the ~~voiced~~ voice message reproduced by ~~said the~~ voice reproduction circuit.

11. (Currently Amended) A guide system according to claim 10, wherein ~~said the~~ control signal is a radio signal of a faint power level, and ~~said the~~ control signal detector receives the radio signals from ~~said the~~ control signal transmitters through an antenna.

12. (Currently Amended) A guide system according to claim 10, wherein ~~said the~~ control signal is a light signal, and ~~said the~~ control signal detector receives and detects the light signals from outside ~~said the~~ control signal transmitters.

13. (Cancelled)

14. (Cancelled)

15. (Cancelled)